PATENT

Application No.: 10/739,457

Page 5

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

- (Original) A method for identifying a Mycobacterium species comprising 1. he steps of:
- contracting at least one immuno-cross reactive antigen component a) of a mycobacterial species with a sample of a body fluid of a human or animal individual;
- contacting at least one antibody, which is capable of reacting with b) a mycobacterial antigen, with said body fluid sample;
- c) detecting the presence of antigen-antibody complexes, and identifying the Mycobacterium species present in said body fluid sample.
- (Original) A method according to claim 1, wherein the sample of a body 2. fluid is chosen from the group consisting of serum, blood and excretion fluids, such as sputum, saliva, CSF (cerebrospinal fluid), or tear fluid, and solutions or preparations thereof.
- 3. (Currently amended) A method according to any of the preceding claims, claim1, wherein the at least one immuno-cross-reactive antigen component is bound to a support.
- 4. (Currently amended) A method according to any of the preceding claims, claim 1, wherein the at least one antibody for a mycobacterial species is bound to a support.
- 5. (Currently amended) A method according to any of the preceding claims, claim 1, wherein steps a) and b) are performed simultaneously.

PATENT

HENDRIK-JAN HOUTHOFF et al.

Application No.: 10/739,457

Page 6

6. (Original) A method according to claim 5, wherein the at least one immuno-cross-reactive antigen component and the at least one antibody for a mycobacterial species are bound to the same solid support, and wherein said antibody does not react with the at least one immuno-cross-reactive antigen component.

- 7. (Original) A method according to claim 6, wherein the support is chosen from the group consisting of membranes, dip-sticks, filters, spheres, granules and microtiter plates.
- 8. (Currently amended) A method according to any of the preceding claims, claim 1, wherein the at least one antibody for a mycobacterial species is a monoclonal antibody.
- 9. (Currently amended) A method according to any of the preceding claims, claim 1, wherein the detecting the presence of antigen-antibody complexes is performed by using an indirect or direct labeling method.
- (Currently amended) A method according to claim 9, wherein the 10. detecting is performed by using a label chosen from the group of biotin, biocytin iminobiotin, digoxigenin, avidin, streptavidin, colloidal dyes, dye substances, such as eosin or erythrosine, (colored) latex sols, carbon sols, metals, metal sols or other particulate sols, dansyl lysine, Infra Red Dyes, coumarines, enzymes, and iodide labels.
- 11. (Currently amended) A method according to any of the preceding claims, claim 1, wherein the Mycobacterium species is identified on the basis of one or more reference patterns.

PATENT

HENDRIK-JAN HOUTHOFF et al.

Application No.: 10/739,457

Page 7

12. (Currently amended) A method according to any of the preceding claims, claim 1, wherein the at least one immuno-cross reactive antigen component comprises the total of a preparation of Mycobacterium species, or the total of the culture medium of said species.

- (Currently amended) A method according to elaims 1-11, claim 1, 13. wherein the at least one immuno-cross reactive antigen component comprises a KP90, KS90, antigen6, KP100 or SP100 fraction of a total preparation of a Mycobacterium species, or a suitable fraction of a culture medium of said species.
- 14. (Currently amended) A method according to any of the preceding claims, claim 1, wherein the at least one antibody for a mycobacterial species comprises IgG, IgA, IgM or any combination thereof.
- 15. (Original) A diagnostic kit comprising a support, on which at least one immuno-cross reactive antigen component of a mycobacterial species and at least one antibody, which is capable of reacting with a mycobacterial antigen and which does not react with said at least one immuno-cross reactive antigen component, are bound, and means for detecting the presence of antigen-antibody complexes.
- 16. (Original) A diagnostic kit according to claim 15, wherein the support is chosen from the group consisting of membranes, dip-sticks, filters, spheres, granules and microtiter plates.